

Certificate No. R 50574245 0001

Our Reference 02--CN22YX6U 001

Appendix No. 1

Constructional Data Form (CDF) for Electrical Appliances

Page 1 of 10

License holder : **EcoFlow Inc.**
Plant A202, Founder Technology Industrial Park, Shiyao Sub-district, Bao'an District
Shenzhen, 518000 Guangdong, P.R. China

Factory : **EcoFlow Innovation Ltd.**
Floor 1, Building E-1, Jiehe Industrial City, Shuitian Community, Shiyao Street,
Baoan District, Shenzhen Guangdong, P.R. China

Type of Appliance : Portable Air Conditioner

Type Designation : EFKT210

Rating : 100-240V~, 50/60Hz, 820W, R290 (130g), IPX4, others refer to model list for detail.

Protection Class : Class I

Supply connection : ☒ fixed power cord
☐ direct plug in
☐ permanent connection
☐ battery (vehicle) operated
☐ appliance inlet
☐ cigarette plug

Please tick above box ☒ when applicable

Additional information :

Table 1 model details:

Model name	Rated Voltage	Rated power	Rated current	Allowance pressure
EFKT210	100-240V, 50/60Hz	820W	--	HP: 2.24Mpa LP: 0.74MPa
	11-60Vdc	400W	13A	
	XT150 40- 60Vdc	700	--	

Certificate No. R 50574245 0001

Our Reference 02--CN22YX6U 001

Appendix No. 1

Constructional Data Form (CDF) for Electrical Appliances

Page 2 of 10

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc.

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/model	Technical data	Standard	Mark(s) of conformity
Plastic enclosure	HUIZHOU WOTE ADVANCED MATERIALS	2100	HB, 60°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance & UL E310240
AC plug (EU)	H-LINK (SHENZHEN) CO., LTD	LP-33, LP-34	16A, 250V	NFC61-314	NF012_313 0
AC plug (Switzerland)	AWIN CABLE&WIRE	AW106	10A, 250V	IEC60884-1 SN441011-1 SN441011-2-1	22.0229
AC plug (UK)	AWIN Wire and cable	AW301	10A, 250V	BS 1363	KM 504558
Power cord	Dong Guan Recheer Electric Wire & Cable Co., Ltd	H07RN-F	3G1,0mm ²	DIN EN 50525-2-21 IEC 60227	VDE 40015173
AC connector material	GUANGDONG LINOYA NEW MATERIAL	XY-00259	V-0, 50°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E511746
AC input connector	Shenzhen HUAXINGHUI ELECTRICS	HP-14	10A, 250V	IEC/EN 60320-1	TUV SUD B097222700 06
Motor- Compressors	Panasonic Wanbao Appliances compressor(Guangzh ou) Co., Ltd	7TD075ZBA61-A	48VDC, R290	IEC/EN 60335-1 IEC/EN 60335-2-34	TUV Rh R50544209 & CNCVC074 3
Evaporator fan motor	ZHONG SHAN GCHIMAY ELECTRIC APPLIANCE CO.,LTD	G0736ZHV05	DC24V, 45W, Class B	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance
Condenser fan motor	ZHONG SHAN GCHIMAY ELECTRIC APPLIANCE CO.,LTD	G0734ZHV03	DC24V, 60W, Class B	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance
4-way valve	ZHEJIANG DUNAN HETIAN	DSF-3	220-240VAC, 50/60Hz	IEC/EN 60730-1	VDE 40013212
Water valve	Shenzhen CNHT LIMITED COMPANY	CNV6-3H	DC24V, 3W, Class H	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance
Water pump	Zhongshan Boyang	BY-DC100	24VDC, 1,5W max, Class A	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance
DC input connector (40-60VDC XT150 input)	NOXTLON ELECTRONIC	XT150	60A, 250V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance

Constructional Data Form (CDF) for Electrical Appliances

Page 3 of 10

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc.

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/model	Technical data	Standard	Mark(s) of conformity
PV input connector (11-60VDC input)	Changzhou Amass Electronics Co Ltd	XT60 series	500V, min. 20A, 120°C	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UR E482722
Internal wire (between AC input connector and PSDR)	DONGGUAN KAOGLE ELECTRONICS CO LTD	1015	AWG16, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E521549
Interchangeable	DONGGUAN ZHONGZHENG WIRE & CABLE TECH CO LTD	1015	AWG16, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E336285
Interchangeable	GUANGDONG HAERKN NEW ENERGY CO LTD	1015	AWG16, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E300956
Internal wire to compressor	DONGGUAN ZHONGZHENG WIRE & CABLE TECH CO LTD	1015	AWG16, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E336285
Interchangeable	GUANGDONG HAERKN NEW ENERGY CO LTD	1015	AWG16, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E300956
Interchangeable	DONGGUAN KAOGLE ELECTRONICS CO LTD	1015	AWG16, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E521549
Internal wire to fan motor	DONGGUAN ZHONGZHENG WIRE & CABLE TECH CO LTD	10368	AWG22, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E336285
Interchangeable	GUANGDONG HAERKN NEW ENERGY CO LTD	10368	AWG22, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E300956
Interchangeable	DONGGUAN KAOGLE ELECTRONICS CO LTD	10368	AWG22, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E521549
Internal wire to BMS signal wire	DONGGUAN ZHONGZHENG WIRE & CABLE TECH CO LTD	10368	AWG22, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E336285

Constructional Data Form (CDF) for Electrical Appliances

Page 4 of 10

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc.

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/model	Technical data	Standard	Mark(s) of conformity
Interchangeable	GUANGDONG HAERKN NEW ENERGY CO LTD	10368	AWG22, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E300956
Interchangeable	DONGGUAN KAOGLE ELECTRONICS CO LTD	10368	AWG22, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E521549
Internal wire to USB module signal wire	DONGGUAN ZHONGZHENG WIRE & CABLE TECH CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E336285
Interchangeable	GUANGDONG HAERKN NEW ENERGY CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E300956
Interchangeable	DONGGUAN KAOGLE ELECTRONICS CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E521549
Internal wire between BMS and PD board	DONGGUAN ZHONGZHENG WIRE & CABLE TECH CO LTD	3239	AWG16, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E336285
Interchangeable	GUANGDONG HAERKN NEW ENERGY CO LTD	3135	AWG16, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E300956
Interchangeable	DONGGUAN KAOGLE ELECTRONICS CO LTD	3135	AWG16, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E521549
Internal wire between PSDR and PV input connector	DONGGUAN ZHONGZHENG WIRE & CABLE TECH CO LTD	3135	AWG12, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E336285
Interchangeable	GUANGDONG HAERKN NEW ENERGY CO LTD	3135	AWG12, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E300956
Interchangeable	DONGGUAN KAOGLE ELECTRONICS CO LTD	3135	AWG12, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E521549



Constructional Data Form (CDF) for Electrical Appliances

Page 5 of 10

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc.

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/model	Technical data	Standard	Mark(s) of conformity
Internal wire between motor and battery pack	DONGGUAN ZHONGZHENG WIRE & CABLE TECH CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E336285
Interchangeable	GUANGDONG HAERKN NEW ENERGY CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E300956
Interchangeable	DONGGUAN KAOGLE ELECTRONICS CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E521549
Internal wire between motor and PSDR board	DONGGUAN ZHONGZHENG WIRE & CABLE TECH CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E336285
Interchangeable	GUANGDONG HAERKN NEW ENERGY CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E521549
Interchangeable	DONGGUAN KAOGLE ELECTRONICS CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E336285
Interchangeable	GUANGDONG HAERKN NEW ENERGY CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E300956
Interchangeable	DONGGUAN KAOGLE ELECTRONICS CO LTD	10368	AWG26, 105°C, 600V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E521549
Battery pack (optional)	ECOFLOW	EFKT210-EB	1159Wh, 50,4VDC	IEC/EN 62133-2	JPTUV- 144381
Main board	ECOFLOW	OC-KT305- PSDR &MPPT	--	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance
-DC FAN	MINEBEAMITSUMIN C	05020GA-12N- AL	DC12V, 0,24A, Class A	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E89936
-Fuse (F1)	SHENZHEN VICTORS INDUSTRIAL	VF215 series	10A, 250V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E357828

Constructional Data Form (CDF) for Electrical Appliances

Page 6 of 10

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc.

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/model	Technical data	Standard	Mark(s) of conformity
-Fuse (F2)	ADVANCED SURGETECH MATERIALS LTD	PB series	40A, 72VDC	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E470032
-Fuse (F3)	ADVANCED SURGETECH MATERIALS LTD	24 148 series	20A, 72VDC	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E355868
-Varistor (MOV1)	SHANTOU HIGH- NEW TECHNOLOGY DEVELOPMNT ZONE	14D471	320VAC, min. V-1, 125°C	IEC/EN 61051-1 IEC/EN 61051-2	VDE 40023049
-Y1-capacitor (CY8, CY9)	SHANTOU FREE TRADE ZONE SONGTIAN ELECTRONIC TECHNOLOGY	SMD	Max 2,2nF, 250V; T125	IEC/EN 60384-14	ENEC- 04185
-Y2-capacitor (CY13, CY15)	DONGGUAN CIGU ELECTRONIC TECHNOLOGY	CE series or CD series	Max 4,7nF, Min 250V, T125	IEC/EN 60384-14	VDE 40043430
-Y2-capacitor (CY2, CY6)	DONGGUAN CIGU ELECTRONIC TECHNOLOGY	CE series or CD series	Max 10nF, Min 250V, T125	IEC/EN 60384-14	VDE 40043430
-Relay (RY1)	DONGGUAN CHUROD ELECTRONICS CO LTD	A1-S-112HA2	10A, 250V, 10E4 cycles, T85	IEC/EN 61810-1 IEC/EN 60730-1 IEC 60079-15	TUV RH R50174892 & AK 50379382
-Relay (RY2)	SONG CHUAN PRECISION CO LTD	507H series	17A, 250V, 10E4 cycles, T85	IEC/EN 61810-1 IEC/EN 60730-1 IEC 60079-15	VDE 40006746 DEMKO 17 ATEX 1896U
-Relay(RY3)	DONGGUAN CHUROD ELECTRONICS CO LTD	A1-S-112HA2	8A, 250V, 10E4 cycles, T85	IEC/EN 61810-1 IEC/EN 60730-1 IEC 60079-15	TUV RH R50174892 & AK 50379382
-Relay(RY4)	DONGGUAN CHUROD ELECTRONICS CO LTD	A1-S-112IA2	8A, 250V, 10E4 cycles, T85	IEC/EN 61810-1 IEC/EN 60730-1 IEC 60079-15	TUV RH R50174892 & AK 50379382

Constructional Data Form (CDF) for Electrical Appliances

Page 7 of 10

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc.

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/model	Technical data	Standard	Mark(s) of conformity
-X capacitor (CX1, CX2)	SHANTOU HIGH- NEW TECHNOLOGY DEVELOPMNT ZONE SONGTIAN ENTERPRISE CO LTD	MPX	2,2µF, 305VAC, T110, X2	IEC/EN 60384-14	VDE 40034679
-X-capacitor (CX3)	SHENZHEN SINCERITY TECHNOLOGY	MKP series	1µF, 250V, T110, X2	IEC/EN 60384-14	VDE 40028812
-Rectifier (DB1)	LESHAN SHARE ELECTRONIC CO LTD	GBU8M	8A, 1000V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance ULE249161
-Rectifier (DB2)	CHONGQING PINGWEI ENTERPRISE	MB10F	1A, 1000V	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance
-Inductor (L1,L3)	Shenzhen Jiahong	100500300001 02 or LB25H00120	130°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance
-Thermistor (RT1)	SHANTOU HIGH- NEW TECHNOLOGY DEVELOPMNT ZONE SONGTIAN ENTERPRISE CO LTD	3D-9	3Ω at 25°C, 3A	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance VDE 40050168
-Transformer (TX1)	Huizhou Banqiao	BQ0PQ35-5122	Input:100-240V, 50/60Hz, Output: DC24V, Class F	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance
-Winding of TX1	TAI-I	UEW	130°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E234896
-Insulation tape of TX1	JINGJIANG YAHUA PRESSURE	PF	180°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E165111
-Varnish of TX1	DONGGUAN EATTO ELECTRONIC	T-4260	155°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E228349
-Bobbin of TX1	CHANG CHUN PLASTICS	T375HF	150°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E59481
-Transformer (T1)	Dongguan zhengxin	ZM-22063A	Input:100-240V, 50/60Hz, Output: DC24V, Class B	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance

Constructional Data Form (CDF) for Electrical Appliances

Page 8 of 10

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc.

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/model	Technical data	Standard	Mark(s) of conformity
-Bobbin of T1	CHANG CHUN PLASTICS	T375HF	150°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E59481
-Primary winding of T1	TAI-I	UEW	130°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E234896
-Triple insulation wiring of T1	HUIZHOU DONGJU FLUO TECH PLASTIC CO LTD	TIW-B	130°C	IEC/EN 61558-1 IEC/EN 61558-2-16	VDE 40047395
-Insulation tape of T1	JINGJIANG YAHUA PRESSURE	PF	180°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E165111
-Tube of T1	GREAT HOLDING INDUSTRIAL	TFL	200°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E156256
-Varnish of T1	ZHUHAI CHANGXIAN NEW MATERIALS	E962	130°C	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance UL E335405
Optocoupler (U2, U3, U4)	Suzhou Novosense Microelectronics	NSi6602	5700VAC isolation voltage	IEC/EN 0884-11	VDE 40050121
Current transducers (U1)	Chengdu CrossChip Microsystems	CC6921B series	Min 3750VAC isolation voltage	IEC/EN 62368-1	TUV RH R50531533
Isolation resistor (R86, R87, R88, R89, R90, R91, R92, R93, R94, R95, R96, R97, R98, R99, R100, R101, R102, R103, R104, R105, R106, R107, R108, R109, R110, R111, R112, R113, R114, R115, R116, R117, R118, R119, R120, R121, R122, R123, R124, R125, R126, R127, R128, R129, R130, R131, R132, R133)	YAGEO	RC1206	Min 1MΩ, Min 0,25W	IEC/EN 60335-1 IEC/EN 60335-2-40	Tested with appliance

Constructional Data Form (CDF) for Electrical Appliances

Page 9 of 10

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc.

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/model	Technical data	Standard	Mark(s) of conformity
-Transformer (T2)	HUIZHOU BANQIAO ELECTRONICS CO.,LTD	BQ0EE19- 5113	Input:100-240V, 50/60Hz, Output: DC24V, Class F	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance
-Bobbin of T2	CHANG CHUN PLASTICS CO LTD	EE-19	V-0, 150°C	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance UL E59481
-Primary Wiring of T2	TAI-I	UEW	130°C	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance UL E234896
-Triple insulation wiring of T2	SHENZHEN DARUN SCIENCE AND TECHNOLOGY CO LTD	DRTIW-F	155°C	IEC/EN 61558-1 IEC/EN 61558- 2-16	VDE 40032470
-Tape of T2	JINGJIANG YAHUA PRESSURE SENSITIVE GLUE CO LTD	PF series	130°C	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance UL E165111
MARGIN TAPE of T2	JINGJIANG YAHUA PRESSURE SENSITIVE GLUE CO LTD	WF	130°C	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E165111
-VARNISH of T2	SUZHOU TAIHU ELECTRIC ADVANCED MATERIAL CO LTD	T-4260(a)	155°C	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance UL E228349
-High frequency transformer (T3)	Dongguan zhengxin	ZM-2018A	Class B	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance
-Bobbin of T3	SUMITOMO	PM-9820	V-0, 150°C	IEC/EN 60335-1 IEC/EN 60335-2- 40	Tested with appliance UL E41429
-Winding of T3	Furukawa Electric Co., Ltd	TEX-E	130°C	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance UL E206440
-Winding of T3	TAI-I	UEW	130°C	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance UL E234896
-Tube of T3	GREAT HOLDING INDUSTRIAL CO LTD	TFL	200°C	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance UL E156256

TÜV Rheinland Group

2023-02-14

Kyson Li



Date

Name

Signature

Certificate No. R 50574245 0001

Our Reference 02--CN22YX6U 001

Appendix No. 1

Constructional Data Form (CDF) for Electrical Appliances

Page 10 of 10

Critical Components

Material: e.g. external enclosure, PCB, closed-end connector, sleeves, cord anchorage etc.

Components with winding: e.g. motor, transformer, magnetic coil etc.

Other components: e.g. switch, thermostat, heater, plug, internal wire, capacitor, relay, varistor etc.

Object/part No.	Manufacturer/ trademark	Type/model	Technical data	Standard	Mark(s) of conformity
-Vanish of T3	HITACHI CHEMICAL CO LTD	WP-2952F-2G	130°C	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance U E72979
Compressor driver PCB	ECOFLOW	--	5VDC, 0,8W	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance
LED PCB	ECOFLOW	--	5VDC, 2W	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance
PCB material	KINGBOARD LAMINATES LTD	KB-6150C	V-0, CTI: 600, Min Thk: 1,4mm	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance UL E123995
Interchangeable	SHENGYI TECHNOLOGY CO LTD	S1151G	V-0, CTI: 600, Min Thk: 1,4mm	IEC/EN 60335-1 IEC/EN 60335- 2-40	Tested with appliance UL E109769

Functional Components

Components which are required for performance purposes and not directly addressed by a component standard or product standard: Ripple capacitors, Mosfets, etc.

Object/part No.	Type/ model (optional)	Technical data
N/A		